To: Boiler Work Group Chair/Co-Chair ICCR Boiler Source Work Group

Attached is a table entitled HAPs Selection and Test Methods for Coal-Fired Boilers. The list contains the names of the 189 Hazardous Air Pollutants (HAPs) that have, based on experience, been screened for potential presence in emissions from coal-fired boilers. This preliminary screening has been performed on the list by the Testing and Monitoring Protocol Work Group (TMPWG). This table is being forwarded to the Boiler Source Work Group (SWG) for review and comment.

The table includes HAPs that may be present in coal-fired boiler emissions. Additionally, a listing of testing methods that have been used and have the potential to quantify the HAPs presence in flue gas emissions are included.

For those HAPs that are not included in the list, a codified reason for their exclusion is provided. Exclusion codes include:

- 1- Compound is not expected to be emitted from source because basic chemical or physical principles do not favor its existence in source exhaust.
- 2 Existing test data indicate that compound is not emitted in significant quantities from source. Other exclusion codes are included as appropriate.

It should be noted that this table is general in its first draft and represents the extent of the TMPWG's knowledge and experience with emissions from coal-fired boilers. Please review carefully from a standpoint of those HAPs included as well as those HAPs excluded. The subgroup within the TMPWG that is responsible for the development of this table has included a preface that provides the sources of information utilized to develop the table, the rationale for exclusion codes, and the names of the TMPWG contact for the Boiler SWG.

If we can be of service in any other fashion or if you have any questions concerning in the table, please contact the TMPWG's member who is monitoring the activities of your SWG.

The Testing and Monitoring Protocol Work Group member that is responsible for following the Boiler SWG is Tom McGrath. (E-mail "eertommc@hotmail.com")

HAPs Selection and Test Methods for Coal-Fired Boilers

Under section 112(n)(1)(A) of the Act, Congress mandated that the Environmental Protection Agency (EPA) "...perform a study of the hazards to public health reasonably anticipated to occur as a result of emissions by electric utility stream generating units of ... [HAPs] ... after imposition of the requirements of the Act." The results of this study have been issued in the following report:

Study of Hazardous Air pollutant Emissions from Electric utility Stream Generating Units -- Interim Final Report United States Environmental Protection Agency Office of Air Quality Planning and Standards Research Triangle Park, North Carolina 27711 EPA-453/R-96-013, October 1996

The emissions from electric utility coal-fired boilers should be very similar in composition to emissions from industrial coal-fired boilers. The attached table that addresses HAP emissions from industrial coal-fired boilers is based upon emission testing conducted as part of this study. Over 50 emission tests were performed on coal-fired, oil-fired and natural gas-fired utility boilers. The testing to support this study was conducted by the Electric Power Research Institute (EPRI), the Department of Energy (DOE) and the US EPA. A total of 72 HAPs and HAP categories were detected in the emissions from utility coal-fired boilers. These HAPs and HAP categories are identified by either a "blank" or a "3" in the exclusion code column. The list of 72 was pared to 24 HAPs and HAP categories by identifying the HAPs that were "most consistently" detected in the emission test conducted on coal-fired boilers. For the purpose of paring down the list of HAPs and HAP categories, "most consistently" was defined as being present in at least 25 percent (or 5 tests) of the 20 tests conducted on coal-fired boilers. This procedure for identifying the significant HAPs was only utilized for the organic HAPs. An "X" in the left-hand column identifies the HAPs and HAP categories that are included in the pared down list and the exclusion code column is blank.

Coal-Fired Boilers

HAPS Selection and Test Methods for Source Category

Source Category: Coal-Fired Boilers

Instructions:

Place an "x" in column A for each compound which should be <u>included</u> in the list of applicable compounds for the source category. Then, enter the appropriate test method(s) in column E for each of the included compounds.

For compounds which should be <u>excluded</u> from the list, leave column A blank. Then, enter an explanation for their exclusion in column D. A list of exclusion codes is included to simplify this

Exclusion Codes:

- Compound is not expected to be emitted from source because basic chemical or physical principles do not favor its existance in source exhaust.
- 2 Existing test data indicate that compound is not emitted in significant quantities from source.
- 3 Other (Specify)
- 4 Other (Specify)
- 5 Other (Specify)

Include in List			If excluded, give reason	If Included, give applicable test method(s)
		Chemical name	for exclusion (use codes	
			where appropriate)	
X	75070	Acetaldehyde		Method 0011
		Acetamide	2	
	75058	Acetonitrile	2	
Х	98862	Acetophenone		Method 0010
	53963	2-Acetylaminofluorene	2	
X	107028	Acrolein		Method 0011
	79061	Acrylamide	2	
	79107	Acrylic acid	2	
		Acrylonitrile	2	
	107051	Allyl chloride	2	
		4-Aminobiphenyl	2	
		Aniline	2	
	90040	o-Anisidine	2	
	1332214	Asbestos	2	
X	71432	Benzene		Method 0030
	92875	Benzidine	2	
	98077	Benzotrichloride	2	
X	100447	Benzyl chloride		Method 0010
		Biphenyl	2	
X		Bis(2-ethylhexyl)phthalate (DEHP)		Method 0010
	542881	Bis(chloromethyl)ether	2	
Х	75252	Bromoform		Method 0010
	106990	1,3-Butadiene	2	
	156627	Calcium cyanamide	2	
	133062	Captan	2	
	63252	Carbaryl	2	
Х		Carbon disulfide		Method 0030
Χ	56235	Carbon tetrachloride		Method 0030
	463581	Carbonyl sulfide	2	
	120809	Catechol	2	
	133904	Chloramben	2	
	57749	Chlordane	2	
Χ	7782505	Chlorine		Methods 0050, 0051
	79118	Chloroacetic acid	2	
Χ	532274	2-Chloroacetophenone		Method 0010
Χ		Chlorobenzene		Methods 0010 or 0030
	510156	Chlorobenzilate	2	
Х	67663	Chloroform		Method 0030

Coal-Fired Boilers

Include			If excluded, give reason for exclusion (use codes	If Included, give
		Chemical name	where appropriate)	applicable test method(s)
		Chloromethyl methyl ether	2	
		Chloroprene	2	
		Cresols/Cresylic acid (isomers and mixture)	2	
X		o-Cresol	_	Method 0010
X		m-Cresol		Method 0010
X		p-Cresol		Method 0010
X		Cumene		Method 0010
		2,4-D, salts and esters	2	I I I I I I I I I I I I I I I I I I I
	3547044		2	
		Diazomethane	2	
X		Dibenzofurans		Method 23
^		1,2-Dibromo3-chloropropane	2	Ivieti iod 23
X				Method 0010
		Dibutylphthalate	2	IVIELTIOG 0010
		1,4-Dichlorobenzene(p)		ļ
		3,3-Dichlorobenzidene	2	
		Dichloroethyl ether (Bis(2-chloroethyl)ether)	2	N
X		1,3-Dichloropropene		Method 0030
	-	Dichlorvos	2	
		Diethanolamine	2	
		N,N-Diethyl aniline (N,N-Dimethylaniline)	2	
		Diethyl sulfate	2	
		3,3-Dimethoxybenzidine	2	
	60117	Dimethyl aminoazobenzene	2	
	119937	3,3Dimethyl benzidine	2	
	79447	Dimethyl carbamoyl chloride	2	
		Dimethyl formamide	2	
		1,1-Dimethyl hydrazine	2	
		Dimethyl phthalate	2	
		Dimethyl sulfate	2	
		4,6-Dinitroo-cresol, and salts	2	
		2,4-Dinitrophenol	2	
Х		2,4-Dinitrotoluene	-	Method 0010
		1,4-Dioxane (1,4-Diethyleneoxide)	2	
		1,2-Diphenylhydrazine	2	
		Epichlorohydrin (I-Chloro-2,3-epoxypropane)	2	
		1,2-Epoxybutane	2	
		Ethyl acrylate	2	
Х		Ethyl benzene		Method 0010
		Ethyl carbamate (Urethane)	2	Wethod 0010
X				Method 0030
^		Ethyl chloride (Chloroethane)	2	IVIELLIOU 0030
		Ethylene dibromide (Dibromoethane)	2	Mothed 0020
X		Ethylene dichloride (1,2-Dichloroethane)		Method 0030
		Ethylene glycol	2	-
		Ethylene imine (Aziridine)	2	1
		Ethylene oxide	2	
		Ethylene thiourea	2	
		Ethylidene dichloride (1,1-Dichloroethane)	2	ļ
X		Formaldehyde		Method 0011
		Heptachlor	2	
X		Hexachlorobenzene		Method 0010
		Hexachlorobutadiene	2	
		Hexachlorocyclopentadiene	2	
		Hexachloroethane	2	
	822060	Hexamethylene-1,6-diisocyanate	2	
***************************************		Hexamethylphosphoramide	2	
Χ		Hexane		Method 0030
- ` `		Hydrazine	2	

Coal-Fired Boilers

Include	CACH	Chamical varia	If excluded, give reason for exclusion (use codes	If Included, give
		Chemical name	where appropriate)	applicable test method(s
X		Hydrogen fluoride (Hydrofluoric acid)		Method 13A or B
		Hydrogen sulfide	2	
		Hydroquinone	2	
X		Isophorone		Method 0010
		Lindane (all isomers)	2	
		Maleic anhydride	2	
		Methanol	2	
		Methoxychlor	2	
X		Methyl bromide (Bromomethane)		Method 0030
Х		Methyl chloride (Chloromethane)		Method 0030
Χ		Methyl chloroform (1,1,1-Trichloroethane)		Method 0030
Х	78933	Methyl ethyl ketone (2-Butanone)		Method 0011
	60344	Methyl hydrazine	2	
		Methyl iodide (Iodomethane)	2	
X		Methyl isobutyl ketone (Hexone)		Method 0011
		Methyl isocyanate	2	
X		Methyl methacrylate		Method 0030
X		Methyl tert butyl ether		Method 0010
		4,4-Methylene bis(2-chloroaniline)	2	Wildlied Co.10
X		Methylene chloride (Dichloromethane)		Method 0030
		Methylene diphenyl diisocyanate (MDI)	2	Wethod 0000
		4,4Methylenedianiline	2	
			2	Mathad 0010
X		Naphthalene		Method 0010
		Nitrobenzene	2	
		4-Nitrobiphenyl	2	
		4-Nitrophenol	2	
		2-Nitropropane	2	
		N-Nitroso-Nmethylurea	2	
X		N-Nitrosodimethylamine		Method 0010
	59892	N-Nitrosomorpholine	2	
		Parathion	2	
		Pentachloronitrobenzene (Quintobenzene)	2	
Χ	87865	Pentachlorophenol		Method 0010
Χ	108952	Phenol		Method 0010
	106503	p-Phenylenediamine	2	
	75445	Phosgene	2	
	7803512	Phosphine	2	
Х		Phosphorus		Method 0012
X		Phthalic anhydride		Method 0010
		Polychlorinated biphenyls (Aroclors)	2	
		1,3-Propane sultone	2	
		beta-Propiolactone	2	
X		Propionaldehyde	<u>-</u>	Method 0011
		Propoxur (Baygon)	2	
		Propylene dichloride (1,2-Dichloropropane)	2	
		Propylene oxide	2	
		1,2-Propylenimine (2-Methyl aziridine)	2	
X		Quinoline		Method 0010
		Quinone	2	Wethou 0010
				Mothad 0010
X		Styrene Styrene oxide	2	Method 0010
		Styrene oxide	2	Most CO
		2,3,7,8-Tetrachlorodibenzo-p-dioxin		Method 23
		1,1,2,2-Tetrachloroethane	2	
X		Tetrachloroethylene (Perchloroethylene)		Method 0030
		Titanium tetrachloride	2	
X		Toluene		Methods 0010 or 0030
		2,4-Toluene diamine	2	
	584849	2,4-Toluene diisocyanate	2	

Coal-Fired Boilers

			If excluded, give reason	
Include			for exclusion (use codes	If Included, give
in List	CAS No.	Chemical name	where appropriate)	applicable test method(s)
		o-Toluidine	2	
	8001352	Toxaphene (chlorinated camphene)	2	
	120821	1,2,4-Trichlorobenzene	2	
X	79005	1,1,2-Trichloroethane		Method 0030
X	79016	Trichloroethylene		Method 0030
		2,4,5-Trichlorophenol	2	
	88062	2,4,6-Trichlorophenol	2	
	121448	Triethylamine	2	
	1582098	Trifluralin	2	
	540841	2,2,4-Trimethylpentane	2	
Х	108054	Vinyl acetate		Method 0030
	593602	Vinyl bromide	2	
	75014	Vinyl chloride	2	
Х	75354	Vinylidene chloride (1,1-Dichloroethylene)		Method 0030
Х	1330207	Xylenes (isomers and mixture		Method 0010
Х	95476	o-Xylenes		Method 0010
Х	108383	m-Xylenes		Method 0010
Х	106423	p-Xylenes		Method 0010
X		Antimony Compounds		Method 0012
X		Arsenic Compounds (inorganic including arsine)		Method 0012
X		Beryllium Compounds		Method 0012
Х	N/A	Cadmium Compounds		Method 0012
Х	N/A	Chromium Compounds		Method 0012
Х	N/A	Cobalt Compounds		Method 0012
	N/A	Coke Oven Emissions	2	
X		Cyanide Compounds *1		Modified Method 6
		Glycol ethers *2	2	
X		Lead Compounds		Method 0012
X	N/A	Manganese Compounds		Method 0012
Х	N/A	Mercury Compounds		Method 0012
		Fine mineral fibers *3	2	
Х		Nickel Compounds		Method 0012
Х		Polycylic Organic Matter *4		CARB 429
X		Radionuclides (including radon) *5		Method 114
Х	N/A	Selenium Compounds		Method 0012

189

Study of Hazardous Air Pollutant Emissions from Electric Utility Steam Generating Units -- Interim Final Report United States Environmental Protection Agency Office of Air Quality Planning and Standards Research Triangle Park, NC 27711 EPA-453/R-96-013, October 1996

Baseline Air Toxic Emissions from U.S. Navy Coal-Fired Industrial Boilers Keaton J. McCallister, Naval Facilities Engineering, Service Center Port Hueneme, California

Presented at the 89th Annual Meeting (June 1996) of the AWMA, Nashville, TN, $\,$

Research and Evaluation of Organic Hazardous Air Pollutant Source Emission Test Methods Larry D. Johnson United States Environmental Protection Agency, National Exposure Research Laboratory

Research Triangle Park, NC

Journal of the Air & Waste Management Association, Volume 46, December 1996, pp. 1135 - 1148